

Maharashtra University of Health Sciences, Nashik Inspection Committee
Report for Academic Year 2023- 2024

Clinical Material in Hospital

Faculty:- B.Sc Nursing, M.Sc Nursing (Childe Health Nursing) (Obstetrics & Gynecological Nursing)

Name of College/Institute M.V.P.Samaj's Institute of Nursing Education, Adgaon, Nashik.03

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Adequate / Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own / parent Hospital (Affiliated hospital must be 50 bedded or more.)	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:	Adequate
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) B.Sc. Nursing -01:10 M.Sc. Nursing -01: 05	
c.	Average Bed Occupancy in % : (Minimum 75%) 82.02%	
d.	Clinical facilities for PG to be verified : (As per MSR)	
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) 05-06 (v) Average Number of abnormal Delivery (Current year) 00-01	Adequate Adequate 1395.18 05-06 00-01
	<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate" & do not attach any documents. • In case of "Inadequate", it must be mark as "Inadequate" with evidence. 	



Dean / Principal Stamp & Signature
PRINCIPAL
M.V.P. Samaj's
Institute of Nursing Education
Adgaon, Nashik-3



नाशिक महानगरपालिका नाशिक

फॉर्म 'सी'

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन
अॅक्टच्या कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ अन्वये श्री. / श्रीमती डॉ. नितिन बापुराव ठाकरे सुरचिह्णारित्य
म. वि. प्र. समाजाचे डॉ. वसंतराव पवार वैयकीय महाविद्यालय, रुग्णालय व अंशाशन केंद्र
उपजाय नारिकि
चेथील नर्सिंग होम / हॉस्पिटल/ मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम/हॉस्पिटल/मॅटर्निटी होम चालविण्यास परवाना
देण्यात येत आहे.

रजिस्ट्रेशन क्र : ३५७

हॉस्पिटलसाठी ९९०

कॉटस्

प्रसूतीसाठी ९०

कॉटस्

इतर रूग्णासाठी —

कॉटस्

अत्यावश्यक १,०००

कॉटस्

रजिस्ट्रेशन दि : १/११/२०२१

ते ३१/१०/२०२२

ठिकाण : नाशिक

सर्टिफिकेट दिल्याचा दिनांक १७/११/२०२३

सदरचे सर्टिफिकेट चा कालावधी दिनांक ३१ मार्च २०२४ पर्यंत राहिल.

CERTIFIED TRUE COPY

उपरोक्त कालावधीत वेळोवेळी B.M.W. चे नुतनीकरण व
असिप्रतिबंधकचे बी फॉर्म सादर न केल्यास सदरचे नोंदणी
प्रमाणपत्र रद्द समजण्यात येईल.



१७/११/२०२३


आरोग्य वैद्यकीय अधिकारी

नाशिक महानगरपालिका, नाशिक

PRINCIPAL

M.V.P. Samal's

Institute of Nursing Education



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
 4th floor, Opp. Cine Planet
 Cinema, Near Sion Circle,
 Sion (E), Mumbai-400022

RED/L.S.I
 No:- Format1.0/CAC/UAN
 No.0000147255/CR/2212000307

Date: 06/12/2022

To,
 Dr.Vasantrao Pawar Medical Collage,Hospital &
 Research Centre,
 1074/1, Vasantdada Nagar,Adgaon ,Nashik
 Adgaon, Nashik.



Sub: Grant of Renewal of Combined Consent BMW Authorization under Red/LSI Category

- Ref:**
1. Previous Combine Consent and Bio-Medical Authorization granted by the Board vide dated 08.03.2021 which was valid up to 30.09.2022.
 2. The minutes of 10th Consent Appraisal Committee meeting dated 23.11.2022.

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The Combined Consent to Renewal and BMW authorization is granted upto: **30.09.2027**

The capital investment of the project is Rs.59.9312 Crs. (As per C.A Certificate submitted by Industry Existing was of Rs. 54.71 Crs + Increase in C.I. by Rs. 5.22 Crs).

3. The Consent is valid for the Activity of

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	1000	Nos
b)	Total Plot Area	196256.00	Sq.Mtrs
c)	Total Built up Area	29993.00	Sq.Mtrs

4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to Acheive	Disposal
1.	Trade effluent	5.0	As per Schedule -I	Treated effluent shall be 60% recycled for secondary purposes & remaining on land for gardening/in to sewerage system of local body

MVPS Dr. Vasantrao Pawar
 Medical College, Hospital & RC.

Dr.Vasantrao Pawar Medical Collage,Hospital & Research Centre./CR/UAN No.MPCB.
 CONSENT-0000147255/In dus-Id.32933 (06-12-2022 12:51:27 pm) /OMS.P06_F02/00

File No.
 Inward 73/13/2022-23
 Date 13/10/2022

CERTIFIED TRUE COPY Page 1 of 11

PRINCIPAL
 M.V.P. Samaj's
 Institute of Nursing Education
 Adgaon, Nashik-2

Sr.No	Description	Permitted (In CMD)	Standards to Achieve	Disposal
2.	Domestic effluent	195	As per Schedule - I	As above

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set (2 x 400 KVA)	1	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	5.1	250	Ltr/A	Reprocessing	Sale to authorized party for recycle

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	19.5	Kg/Day	Drying	Used as manure within premises

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	240.00	Yellow colored non-chlorinated plastic bags or containers	CBMWTSDF
		b) Soiled Waste	480.00		
		c) Expired or Discarded Medicines	120.00		
		d) Chemical Liquid Waste	4000.00		
		e) Microbiology Biotechnology and other clinical laboratory waste	200.00		
2	White (Translucent)	Waste sharps including Metals	280.00	Puncture proof, Leak proof, tamper proof container	CBWTSDF

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

- HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical Industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. If any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
- HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
- HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.

CERTIFIED TRUE COPY

[Signature]
PRINCIPAL
M.V.P. Samaj's

4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
 5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
 6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 13 HCE shall submit/extend Bank Guarantee as per BG regime for Health Care Establishment

CERTIFIED TRUE COPY

Red
 PRINCIPAL
 M.V.P. Samaj's
 Institute of Nursing Education
 Adgaon, Nashik-3



14 PP shall provide pre-treatment for yellow category waste.

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



a8e5e0bf
c060d2d4
94e65a55
9a9c0a3b
fdce3370
a47fdf45
85494884
1c221423

Signed by: Dr. Y.B.Sontakhe
Joint Director(WPC) & In-charge Of CAC-Cell
For and on behalf of
Maharashtra Pollution Control Board
cac-cell@...
2022-12-06 11:40 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	425000.00	MPCB-DR-14224	07/09/2022	RTGS

(As per previous consent, fees of Rs. 1,30,000/- was balance with Board which is considered for this application, hence no any fee is balance with Board)

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Nashik
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CAC Desk - for record & updation purposes.



CERTIFIED TRUE COPY

PRINCIPAL
M.V.P. Samaj's
Institute of Nursing Education
Adgaon, Nashik-3

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:


Stack No.	Stack Attached To	APC System	Height In Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
S-1	DG Set 400 KVA	NA	8	HSD	84 Kg/Hr	1.00	40.32
S-2	DG Set 400 KVA	NA	8	HSD	84 Kg/Hr	1.00	40.32

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

CERTIFIED TRUE COPY


PRINCIPAL
 M.V.P. Samaj's
 Institute of Nursing Education
 Adgaon, Nashik-3



5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	200.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	10.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



CERTIFIED TRUE COPY

Pratik
 PRINCIPAL
 M.V.P. Samaj's
 Institute of Nursing Education
 Adgaon, Nashik-3

**SCHEDULE-III
Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee Imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	Rs. 50,000/-
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	Rs. 50,000/-
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	Rs. 25,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	Rs. 25,000/-
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	Rs. 25,000/-


BG Forfeiture History

Srno.	Consent (C2E/C20/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C20/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

CERTIFIED TRUE COPY


PRINCIPAL
 M.V.P. Samaj's
 Institute of Nursing Education
 Adgaon, Nashik-3




SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and Industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to-day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

CERTIFIED TRUE COPY



Dr. Vasantrao Pawar Medical College, Hospital & Research Centre, CR/UAN No. MPCB/INCIPAL
CONSENT-0000147255/Indus-Id.32933 (06-12-2022 12:51:27 pm) /QMS.P06_F02/00


M.V.P. Samaj's
Institute of Nursing Education
Adgaon, Nashik-3

13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.



CERTIFIED TRUE COPY


PRINCIPAL
M.V.P. Samaj's
Institute of Nursing Education
Adgaon, Nashik-3



महाराष्ट्र शासन
जिल्हा परिषद नाशिक

Dr. C.S.LONE
Medical Officer,
PHC Mohadi, Tal. Dindori Dist Nashik.
Mob.No.9822952163


PHC MOHADI,
Mohadi Tal. Dindori, Dist, Nashik
Phone No.02557-274346
Email- mohadidindori@gmail.com

डॉ. सी.एस. लोणे
वैद्यकीय अधिकारी प्राथमिक आरोग्य केंद्र मोहाडी
ता दिंदोरी जि.नाशिक
मो.नं. ९८२२९५२१६३

जा.क 120/2022
दिनांक


TO WHOMSEVER IT MAY CONCERN

This is for your kind information that M.V.P.Samaj's Institute of Nursing Education, is running G.N.M., B.Sc. Nursing and M.Sc. Nursing program Students of this college come to PHC Mohadi for Community posting for Academic year 2021-2022


MEDICAL OFFICER
Primary Health Center
Mohadi. Tal. Dindori



CERTIFIED TRUE COPY


PRINCIPAL
M.V.P. Samaj's
Institute of Nursing Education
Adgaon, Nashik-3



M.V.P. Samaj's
Institute of Nursing Education
Adgaon, Nashik.
INWARD

In No.: INE/ 498/2022-23
Date: 28/02/2022



मराठा विद्या प्रसारक समाजाचे

डॉ. वसंतराव पवार वैद्यकीय महाविद्यालय रुग्णालय व संशोधन केंद्र
आय एस ओ १००१:२००८ प्रमाणित

वसंतदादा नगर, आडगांव, नाशिक-४२२ ००३, महाराष्ट्र.

फोन : +९१ २५३ २३०३८०२, २३०३९२३, २३०३९९९. फॅक्स : + ९१ २५३ २३०३९३०.

ईमेल : admin@mvpmcn.com, admin@drvasantraopawarmedicalcollege.com

वेबसाईट : www.mvpmcn.com, www.drvasantraopawarmedicalcollege.com

डॉ. सौ. मृणाल एस. पाटील
एम.एस., डीओएमएस (नेत्ररोग)
अधिष्ठाता

संदर्भ क्र.: मविप्रसमाजाचे/र/पी.एम.सी.एच. & आर.सी./१२२१/१६३/२०१५-१६

दि. २२/०६/२०१५

प्रति,

मा. प्राचार्या साो,
नर्सिंग महाविद्यालय,
आडगांव, नासिक

आपणास या पत्रानव्ये सुचित करण्यात येत की, डॉ. वसंतराव पवार वैद्यकीय महाविद्यालयाच्या अंतर्गत अर्बन हेल्थ सेंटर रावसाहेब थोरात हॉल समोर गंगापुर रोड, नासिक व रुरल हेल्थ सेंटर गिरणारे येथे सुरु करण्यात आलेले आहे. यापुढे आपल्या महाविद्यालयातील मुला- मुलीची पोस्टींग रेड क्रॉस नासिक येथे न करता अर्बन हेल्थ सेंटर रावसाहेब थोरात हॉल समोर गंगापुर रोड, नासिक व रुरल हेल्थ सेंटर गिरणारे येथे करण्यात यावी.

प्रत माहितीसाठी,

मा. शिक्षणाधिकारी साो, म. वि. प्र. समाज, नासिक

अधिष्ठाता

डॉ. वसंतराव पवार वैद्यकीय महाविद्यालय, आडगांव

डॉ. मृणाल एस. पाटील

एम.एस., डी.ओ.एम.एस. (नेत्ररोग)

म. वि. प्र. समाजाचे

डॉ. वसंतराव पवार वैद्यकीय महाविद्यालय,
हॉलगांव व संशोधन केंद्र, आडगांव, नासिक

CERTIFIED TRUE COPY

PRINCIPAL

M.V.P. Samaj's

Institute of Nursing Education

Adgaon, Nashik

