

ANNEXURE-III**Maharashtra University of Health Sciences, Nashik****Following documents need to available on web site****Trust Deed/Bylaws/Registration Certificate (Trust / Hospital (Bombay Nursing Act))****Faculty:** 1) B.Sc. Nursing

2) M.Sc. Nursing :- (Child Health Nursing)

(Obstetrics & Gynecological Nursing)

Name of College / Institute:- M.V.P. Samaj's Institute of Nursing Education, Adgaon, Nashik 03.

| | |
|---|---|
| Name of Trust/ Society | Maratha Vidya Prasarak Samaj, Nashik |
| Registration Certificate To be uploaded on web site clear and original copy | Trust /Society: -Certificate of Registration No:- 34912. Number in Register of Public Trust A-436 12th November 1954. Uploaded on web site Trust Deed/Bylaws:- Uploaded on web site Hospital Ownership Documents:- Attached copy Hospital (Bombay Nursing Act):-Registration No-357 Dt.22/10/2024. Uploaded on web site MPCB Certificate of Parent Hospital :-Registration No-0000147255/CR/2212000307 Dated : 06/12/2022 Uploaded on web site |
| Hospital Type as Per Bombay Nursing Act: - | Dr. Vasantrao Pawar Medical college, Hospital & Research Centre, Nashik. |
| Hospital (Bombay Nursing Act) issuing Authority :- | Nashik Municipal Corporation |
| Hospital Bed as per Certificate:- | 1000 |
| Name of the College/Institute (As per First Affiliation letter) | : N.D.M.V.P. Samaj's College of B.Sc. Nursing, Vasantdada nagar, Adgaon, Nashik-03. |
| Address | : M.V.P. Samaj's Institute of Nursing Education, Dr. Vasantrao Pawar Medical College Hospital & Research Center Campus, Vasantdada nagar, Adgaon, Nashik-422 003. |
| E-mail ID | : inemvp@gmail.com , ine@mvp.edu.in |
| Telephone/Mobile No.(s) | : 0253-2303340, 09420751259 |
| Website | : www.mvpine.edu.in |
| College Code | : UNI-1301003/ 153101. |

Hereby I declare all relevant document uploaded are clear and visible on website & are true as per my best knowledge.

Date: - 16 /01/2026

Dean/PrincipalStamp&Signature
Principal
M. V. P. Samaj's
Institute of Nursing Education
Adgaon, Nashik

CONSTITUTION

- 1 NAME** :-The name of the Institute will be
Maratha Vidya Prasarak Samaj,Nashik.
- 2 LOCATION** :-The head quarter of the Samaj will be located at Nashik city.
- 3 YEAR** :- The Financial year of the Samaj will be from April 1st to March 31st.

1.Nashik Corporation (excluding 20 villages of corporation area)
2.Baglan 3.Niphad 4.Chandwad 5.Sinnar 6.Dindori
7.Kalwan & Surgana 8.Igatpuri 9.Nandgaon 10.Yeola
11.Malegaon 12.Deola
13.Villages from Nashin Taluka including 20 villages from Nashik corporation area & Trimbakeshwar Taluka.

Any two members elected from the primary and secondary teacher employee members and one member from higher secondary and college teacher members. Similarly a member will be entitled to contest election for only one post.

ii) The tenure of the Executive Council will be for years. However the previous Executive Council will remain in power till the end of annual general body meeting held on the day of declaration of results of the election of the new Executive Council.

13 MEETING OF THE EXECUTIVE COUNCIL:

i) As far as possible the meeting of the Executive Council will be called once a month. However the meeting of the Executive Council must be held once in two months.
ii) The quorum for the meeting will be 7 members. However the meeting adjourned on account of the lack of quorum will not require any quorum.
iii) The Sarchitnis of the Samaj will convene the meeting of the Executive Council. However if the Sarchitnis fails to convene the meeting, within the stipulated time or if the avoids to convene the meeting, the Sabhapati will convene the meeting of the Executive Council.

14 THE DUTIES AND POWERS OF THE EXECUTIVE COUNCIL:

i) The Executive Council will have the following powers regarding all its employees.

- To appoint, transfer, fix pay scales, promote, confirm the employee and to obtain their undertaking & agreements.
- To extend the tenure of their services to consolidate the services and to accept their resignations.
- To grant them special concession and/ or select them for a special work.
- To conduct inquiries and according to the nature of the fault, reprimand them. to penalize them, to suspend them, to stop their increments, revert them or to dismiss them or to give other suitable punishment.
- To sanction leaves other than casual leaves.

- ii) To open new branches of the 'Samaj' and to get merged other institutions.
- iii) To purchase immovable property, to mortgage it, to take it on the rental basis, to raise loans or to give loans to construct building etc. and to raise funds for the 'Samaj'.
- iv) To audit and approve accounts of all the branches of the 'Samaj' and to rectify errors in it if there are any or to undertake other remedies. To accord sanction to the annual statement of accounts, budget reports and place them before the general body.
- v) To frame rules for the following purposes and to amend them as and when required.
 - a) Functioning of the meeting.
 - b) Libraries of the Samaj.
 - c) Conduct of the employee
 - d) Tuitions of the students.
 - e) Distribution of work among employee.
 - f) Forms of agreements, insurances and other work.
 - g) Deciding powers of the Local Advisory Committees.
- vi) To maintain funds & property of the 'Samaj' and its branches.
- vii) To enquire affairs of a particular branch of the 'Samaj' and to take suitable action.
- viii) To approve or disapprove membership of the applicant.
- ix) To enquire affairs of a particular member of the 'Samaj'; and to take suitable action.
- x) The vacant post of the member of Executive Council will be filled by nominating a new member on Executive Council.
- xi) To accept the resignation tendered either by a member of any category of the 'Samaj' or by member of the executive council.
- xii) To prepare plans in accordance with the aims and objectives of the 'Samaj' and to implement them.
- xiii) The Executive Council will decide the duties of the Chitnis.
- xiv) According to the rules laid down by the Govt. and Universities, the Executive Council will appoint Governing Council, Academic Council and other committee for its branches at the college level and for other educational branches.
- xv) To appoint committees for specific purpose and delegate them necessary powers.

15 RULES REGARDING FUNCTIONING OF THE MEETINGS:

- i) If the president of the Executive Council is absent at the Annual or the Special General Body Meeting, the Sabhapati of the Executive Council will preside over and if Sabhapati is also absent the Upsabhapati will preside over. If both Sabhapati and Upsabhapati are absent, the members will elect Chairman from amongst them. The Chairman will have the right of casting vote in case when there is equal votes on particular resolution. If a meeting is adjourned for want of quorum it can be conducted any time later even without quorum.
- ii) Additional business can be added to the agenda, before commencement of the meeting without prior approval of the Saphapati, However such business can not be added in case of adjourned meeting or Special meeting.
- iii) The Chairman of the Annual or other General Meeting will adjourn the meeting after waiting for half an hour from the scheduled time of starting the meeting, if there is no prescribed quorum present for meeting.
- iv) A meeting adjourned for want of time can be called at any other time but the requisite quorum will be essential for it.
- v) The adjournment motion can be moved any time and if it is adopted the meeting will be adjourned.
- vi) Any number of amendments can be suggested to a motion. However, they should not be completely contradictory to the original motion.
- vii) Within a period of three months an entirely contradictory resolution can not be adopted against the resolution once passed. However it can be passed if supported by 2/3 majority of the members.
- viii) In the absence of unanimity of members on point of the agenda, it will be decided by a simple majority.
- ix) The membership of Executive Council member or a post of an office bearer will come to an end if he/she remains absent for 3(three) consecutive meetings without the prior permission of the Executive Council. But before terminating the membership of the member or the Office Bearer, he/she will be served with a show-cause notice and provided with an opportunity to defend. This however will not be applicable to the special and the adjourned meeting.

16 DUTIES AND POWERS OF THE SARCHITNIS:-

- i) To look after and direct the work of the 'Samaj' and its branches as directed by the executive council.
- ii) To look after the correspondence, records and the related work of the 'Samaj'.
- iii) To convene the meeting of the Executive Council and all other meetings, to prepare and send their agenda and record the minutes.

- iv) To maintain the accounts of the 'Samaj' as per rule and as advised by the Executive Council.
- v) To functions and exercise the power as delegated by the Executive Council.
- vi) To supervise and control the day to day administration of the 'Samaj'.

17 THE FUNDS AND PROPERTY OF THE SAMAJ:-

- i) The 'Samaj' will have the right of ownership over all its property and funds. No member can have an individual title or any other claim on them.
- ii) The document regarding purchase of the immovable property, mortgage, donation and hire something on rental basis or any other transaction will bear the signature of the Sabhapati and Sarchitnis. Similarly the document concerning the self of the immovable property or giving on rental basis with the sanction of the general body, will bear the signatures of the Sabhapati and the Sarchitnis.
- iii) The funds of the 'Samaj' will be deposited with the bank decided by the Executive Council. Withdrawals will be made with the joint signature of the Sarchitnis or Chitnis and the Sabhapati or Upsabhapati.

18 ELECTIONS:-

- i) A member whose name is in the list of voters of any taluka as a life member can contest the election for the Office Bearers.
- ii) A member whose name is in the list of voters of any taluka as per section 12 of the constitution can contest from the same Taluka for the election of the member of the Executive Council.
- iii) Regarding the electin of the Office Beaers and the members of the Executive Council every member from the list of voters belonging to life membership category will have right to caste votes for Executive Council member of the respective taluka and for all the Office Bearers.
- iv) The Primary and Secondary teacher member will have a right to caste 2 votes for 2 posts from their category and one vote to the member to be elected from higher secondary and college. The higher secondary and college teacher members will have right to caste one vote for a post from their category and 2 votes for posts from other employees category.
- v) A member can contest for only one post.
- vi) A member who is Office Bearer, trustee or a member on the Executive Body of and other educational institute will not be eligible to contest election for any post of the Office Bearer or for the post of member of the Executive Council.
- vii) A lunatic, insolvent member can not contest election or can not remain on any post.
- viii) Those life member whose addresses at present are from outside the Nashik district will be included in the list of members for Nahnik Taluka.

..10..

- ix) Any member can get his address changed within 6 months from sanction of this constitution amendment.
- x) The Executive Council will prepare the rules for the election of the Office Bearer and member of Executive Council subject to this constitution.

19 CONSTITUTION AMENDMENT:-

Any proposed amendment to the constitution must be sent to the Central Office of the 'Samaj' one month before the current year. If such amendment is approved by the Executive Council, it will be put forth before the annual general meeting. Constitution will be amended if approved by 2/3 majority of the members present in the meeting.



पंचांग - ४२२

Certificate of Registration of Societies

ACT XXI OF 1860

No. 642 of 195 - 195

I hereby Certify that The Nasik District
Maratha Education Society.

1st December 1932
has this day been registered under the Societies Registration
Act, XXI of 1860.

Given under my hand at Bombay
this Twenty-fifth day of June
One thousand nine hundred and fifty-four.

(T. J. Gondhalekar)
Registrar of Joint Stock Companies
Bombay.

Certificate of Registration N° 34912



It is hereby certified that the Public Trust described below has this day been duly registered under the Bombay Public Trusts Act, 1950 (Bom. XXIX of 1950), at the Public Trusts Registration Office, Poona Region, Poona.

Name of Public Trust Maratha vidyaprasarak Samaj,
Nasik.

Number in the Register of Public Trusts A 436

Certificate issued to Shri B. S. Hiray.

Given under my hand, this 12th day
of November 1954

Signature P. Mane

Designation Assistant Charity Commissioner,
Poona Region, Poona.





सार्वजनिक आरोग्य विभाग
नाशिक महानगरपालिका नाशिक



फॉर्म 'सी' (FORM-C) Regn. No. 357

दि बॉम्बे नर्सिंग होम रजिस्ट्रेशन ऑफिट 1949 व अधिसूचना 2006, 2013, 2021

Hospital Name:

De. Vasavadeopawade medical College, Hospital & Research
Centre,

श्री/श्रीमती. डॉ. नितीन लालूराव ठाकरे

रुग्णालयाचे नाव कृष्णराजीनाथ म. विल्हेल्म समाजाचे डॉ. कृष्णराज पवार वैद्यकीय
पत्ता महाराष्ट्रातील, नाशिक व असंगोदान केंद्र ग्राम ठांब, नाशिक
येथिल नर्सिंग होम / हॉस्पिटल / मॅटर्निटी होम ची नवीन नोंदणी झालेली आहे / नोंदणीचे नुतणीकरण झालेले आहे.

For Delivery:

प्रसुतिसासाठी : 90

For Other Patients:

इतर रुग्णांसाठी : 910

Total Beds :

एकूण खाटा : 1,000

Certificate Valid from:

सर्टिफिकेट वैध्यता दि.: 01/04/2024 पासून

CERTIFIED TRUE COPY

Valid Till दि. 31/03/2027

पर्यंत राहील

Deek
PRINCIPAL
M.V.P. Samaj
Institute of Nursing Education
Adgaon, Nashik-3

जैविक कचरा भरणा व आगप्रतिबंधक दाखला नुतणीकरण न केल्यास सदर चे प्रमाणपत्र रद्द समजण्यात येईल.

Navan
22.10.24
आरोग्य वैद्यकीय अधिकारी
नाशिक महानगरपालिका नाशिक

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
 4th floor, Opp. Cine Planet
 Cinema, Near Sion Circle,
 Sion (E), Mumbai-400022

RED/L.S.I
 No:- Format1.0/CAC/UAN
 No.0000147255/CR/2212000307

Date: 06/12/2022

To,
**Dr.Vasantrao Pawar Medical Collage, Hospital & Research Centre,
 1074/1, Vasantdada Nagar, Adgaon, Nashik
 Adgaon, Nashik.**



Sub: Grant of Renewal of Combined Consent BMW Authorization under Red/LSI Category

Ref: 1. Previous Combine Consent and Bio-Medical Authorization granted by the Board vide dated 08.03.2021 which was valid up to 30.09.2022.
 2. The minutes of 10th Consent Appraisal Committee meeting dated 23.11.2022.

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Combined Consent to Renewal and BMW authorization is granted upto: 30.09.2027**
- The capital investment of the project is Rs.59.9312 Crs. (As per C.A)**
- Certificate submitted by Industry Existing was of Rs. 54.71 Crs + Increase In C.I. by Rs. 5.22 Crs).**
- The Consent is valid for the Activity of**

| Sr No | Activity | Quantity | UOM |
|-------|---------------------|-----------|---------|
| 1) | Hospital | | |
| a) | Beds | 1000 | Nos |
| b) | Total Plot Area | 196256.00 | Sq.Mtrs |
| c) | Total Built up Area | 29993.00 | Sq.Mtrs |

4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

| Sr No | Description | Permitted (in CMD) | Standards to Achieve | Disposal |
|-------|----------------|--------------------|----------------------|---|
| 1. | Trade effluent | 5.0 | As per Schedule -I | Treated effluent shall be 60% recycled for secondary purposes & remaining on land for gardening/in to sewerage system of local body |

Dr.Vasantrao Pawar Medical Collage, Hospital & Research Centre,CR/UAN No.MPCB-
 CONSENT-0000147255/Radius-Id:32933 (06-12-2022 12:51:27 pm) /QMS.PO6_F02/00

File No.

Page 1 of 11

Inward 73/3/2-022-21

Date 13/12/2022

| Sr No | Description | Permitted (in CMD) | Standards to Achieve | Disposal |
|-------|-------------------|--------------------|----------------------|----------|
| 2. | Domestic effluent | 195 | As per Schedule - I | As above |

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

| Sr.No | Description of stack/ source | Number of Stack | Standards to be achieved |
|-------|------------------------------|-----------------|--------------------------|
| 1 | DG Set (2 x 400 KVA) | 1 | As per Schedule -II |

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

| Sr No | Type of Waste | HW Category | Quantity | UoM | Treatment | Disposal |
|-------|-----------------------|-------------|----------|-------|--------------|--------------------------------------|
| 1 | 5.1 Used or spent oil | 5.1 | 250 | Ltr/A | Reprocessing | Sale to authorized party for recycle |

7. Conditions about Non Hazardous Wastes:

| Sr No | Type of Waste | Quantity | UoM | Treatment | Disposal |
|-------|---------------|----------|--------|-----------|--------------------------------|
| 1 | STP Sludge | 19.5 | Kg/Day | Drying | Used as manure within premises |

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

| Sr.No | Category | Type of Waste | Quantity not to exceed (Kg/M) | Segregation Color coding | Treatment & Disposal |
|-------|---------------------|---|-------------------------------|---|----------------------|
| 1 | Yellow | a) Human Anatomical waste | 240.00 | Yellow colored non-chlorinated plastic bags or containers | CBMWTSDF |
| | | b) Soiled Waste | 480.00 | | |
| | | c) Expired or Discarded Medicines | 120.00 | | |
| | | d) Chemical Liquid Waste | 4000.00 | | |
| | | e) Microbiology Biotechnology and other clinical laboratory waste | 200.00 | | |
| 2 | White (Translucent) | Waste sharps Including Metals | 280.00 | Puncture proof, Leak proof, tamper proof container | CBWTSDF |

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HbsAG positive blood, placenta etc. to the Pharmaceutical Industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. If any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HbsAG positive blood, placenta etc. to the Pharmaceutical Industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.

4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:

- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
- c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
- d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
- e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
- f. You shall establish Bar code system within one year.
- g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
- h. You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of Notification.
- i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
- j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
- k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.

11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

13. HCE shall submit/extend Bank Guarantee as per BG regime for Health Care Establishment

14 PP shall provide pre-treatment for yellow category waste.

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



a8e5e0bf
c060d2d4
94e65a55
9a9c0a3b
fdee3370
a47EdE45
85494884
1c221423

Signed by: Dr. Y.B.Santakar
Joint Director(WPC) & In-charge Of CAC-Cell
For and on behalf of
Maharashtra Pollution Control Board
cac-cell@mpcb.gov.in
2022-12-06 11:40 IST

Received Consent fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|-------|-------------|--------------------|------------|------------------|
| 1 | 425000.00 | MPCB-DR-14224 | 07/09/2022 | RTGS |

(As per previous consent, fees of Rs. 1,30,000/- was balance with Board which is considered for this application, hence no any fee is balance with Board)

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Nashik
 - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CAC Desk - for record & updation purposes.



SCHEDULE-II
Terms & conditions for compliance of Air Pollution Control:

- As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

| Stack No. | Stack Attached To | APC System | Height in Mtrs. | Type of Fuel | Quantity & UoM | S% | SO ₂ |
|-----------|-------------------|------------|-----------------|--------------|----------------|------|-----------------|
| S-1 | DG Set 400 KVA | NA | 8 | HSD | 84 Kg/Hr | 1.00 | 40.32 |
| S-2 | DG Set 400 KVA | NA | 8 | HSD | 84 Kg/Hr | 1.00 | 40.32 |

- The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

| | | |
|--------------------------|---------------|------------------------|
| Total Particulate matter | Not to exceed | 150 mg/Nm ³ |
|--------------------------|---------------|------------------------|

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- Conditions for D.G. Set

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- Industry should make efforts to bring down noise level due to DG set, outside Industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|---------|--|----------------------------------|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 200.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 10.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |
| 5. | Gardening | 0 |

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-III
Details of Bank Guarantees:

| Sr. No. | Consent(C2E/C2O/C2R) | Amt of BG Imposed | Submission Period | Purpose of BG | Compliance Period | Validity Date |
|----------------|-----------------------------|--------------------------|--------------------------|----------------------|--------------------------|----------------------|
| | | | | NA | | |

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee Imposed to ensure timely compliance to be observed by:

| Sr.No | Activity / Condition to be Complied | Compliance Timeline(Months) | Bank Guarantee Amount |
|--------------|--|------------------------------------|------------------------------|
| 1A | Operation and Maintenance | | |
| 1 | To Segregate and Handle BMW as per Rule | Continuous | Rs. 50,000/- |
| 2 | Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards | Continuous | Rs. 50,000/- |
| 1B | Records | | |
| 1 | To Maintain records of BMW and submission of Annual Report in Form -II before 31st January | Continuous | Rs. 25,000/- |
| 2 | To maintain records of BMW material delivered to CBMWTSDF | Continuous | Rs. 25,000/- |
| 2 | Performance | | |
| 1 | To provide BMW separate storage facility as per guidelines of CPCB | Continuous | Rs. 25,000/- |

BG Forfeiture History

| Sr.no. | Consent (C2E/C2O/C2R) | Amount of BG imposed | Submission Period | Purpose of BG | Amount of BG Forfeiture | Reason of BG Forfeiture |
|---------------|------------------------------|-----------------------------|--------------------------|----------------------|--------------------------------|--------------------------------|
| | | | | NA | | |

BG Return details

| Sr.no. | Consent (C2E/C2O/C2R) | BG imposed | Purpose of BG | Amount of BG Returned |
|---------------|------------------------------|-------------------|----------------------|------------------------------|
| | | | NA | |

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as 5-1, 5-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, In order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and Industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.